

## Thimbles generally to DIN 3090 G-6135



### Product information

Wire rope thimbles are used to form and reinforce an eye (loop) at the end of a wire rope.

Certification on request: 2.1

**Material:** mild steel

**Marking:** According to standard, CE-marked

**Finish:** for diameter 4 and 6 mm electro-galvanized other diameters hot dipped galvanized

**Standard:** DIN 3090

Rope Ø range mm	a mm	b mm mm	c mm	dmm mm	e mm mm	f mm mm	Weight kg
4	5	9	10	20	5.1	2.1	0.014
6	7	12	15	30	7.1	2.6	0.03
8	9	13	20	40	11	4	0.071
10	11	16	25	50	14	5	0.17
12	13	19	30	60	16	6	0.24
14	16	22	35	70	17	7	0.36
16	18	25	40	80	19	8	0.5
18	20	27	45	90	21	9	0.62

20	22	32	50	100	23	10	0.9
22	24	33	55	110	24	10	1
24	26	37	60	120	27	11	1.3
26	29	46	65	130	30	12	2.2
28	31	50	70	140	33	12	2.4
32	35	55	80	160	38	14	2.7
36	40	60	90	180	42	16	4.3
40	44	65	100	200	46	18	5.7
44	48	70	110	220	53	20	8.5
48	53	75	120	240	58	22	11.2
52	57	80	130	260	64	25	15.3
56	62	85	140	280	67	25	21.5
60	66	90	150	300	70	25	23
64	70	95	160	320	78	30	35
68	75	100	170	340	81	30	37
72	79	105	180	360	84	30	41
76	84	115	190	380	87	30	46
80	88	120	200	400	90	30	54

Blueprint

