MENNENS | Lifting Solutions Group
Axel Johnson International

Green Pin Wire Rope Clip G-6240

Product information



The Green Pin® Wire Rope Clip is a wire rope clip, generally to EN 13411-5 Type B. This wire rope clip is safer to work with as the ribs on the bearing surface of the clip prevent sliding of the wire rope. Furthermore, the wire rope clip is made from high tensile steel, while galvanization ensures its long-term durability. The Green Pin® Wire Rope Clip is available in a range for wire rope diameters of 3 up to 78 mm.

Certification on request: 2.1, 2.2

... *Read more*

Material: Bridge: drop forged high tensile steel SAE 1045. U-bolt: SAE 1015.
Marking: According to standard, CE-marked
Finish: Hot dip galvanized. Nuts for diameter bow 5 and 6 mm are electro-galvanized.
Standard: EN 13411-5


Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23

© November 2026 - All Rights Reserved

Lifting Solutions Group
Axel Johnson International

Green Pin Wire Rope Clip G-6240

Blueprint



Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23

© November 2026 - All Rights Reserved

MENNENS | Lifting Solutions Group
Axel Johnson International

Green Pin Wire Rope Clip G-6240

Technical data

Part code	Rope Ø range mm	a mm	b mm	c mm	d mm	e mm	f mm	g mm	Weight kg/100pc
121100400100	3-4	5	24	12	11	24	21	10	2
121100500100	5	6	31	15	13	29	24	13	4
121100700100	6-7	8	34	19	13	37	30	18	8
121100800100	8	10	45	22	19	43	33	19	14
121101000100	9-10	11	49	26	19	49	42	25	19
121101100100	11	12	60	30	25	58	46	26	31
121101300100	12-13	13	61	30	25	58	48	31	34
121101500100	14-15	14	72	33	32	63	52	31	36
121101600100	16	14	74	33	32	64	54	36	45
121102000100	18-20	16	86	38	37	72	57	38	68
121102200100	22	19	98	45	41	80	62	40	108
121102600100	24-26	19	108	48	46	88	67	47	113
121103000100	28-30	19	117	51	51	91	73	48	140
121103400100	32-34	22	130	59	54	105	79	56	207
121103600100	36	22	140	60	59	108	79	58	234
121104000100	38-40	22	147	66	60	112	85	64	266
121104200100	41-42	25	161	70	67	121	92	67	329
121104600100	44-46	29	174	78	70	134	97	76	441
121105200100	48-52	32	195	86	78	150	113	85	603
121105800100	56-58	32	213	98	81	162	116	100	707
121106500100	62-65	32	227	105	87	168	119	113	806
121107200100	68-72	32	243	112	91	174	127	124	1,000
121107800100	75-78	38	271	121	98	194	135	136	1,440

Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23

© November 2026 - All Rights Reserved