

CREAXESS Access steps with platform

Product information



General: Stationary access steps with platform at the top end as a standing area.

Features and benefits:

- Stiles made from high-strength aluminium extrusions with screw channels for flexible assembly.
- Selection of required angle of inclination: 45° for comfortable access or 60° for confined spaces.
- Platform length 600 mm.
- Selection of tread widths 600 mm, 800 mm or 1,000 mm.
- Serrated aluminium tread covering as standard.
- Two wall and floor brackets for attachment of the platform stairway as standard.
- Single-sided handrail as standard equipment.
- Handrails can be removed individually •and without the use of tools.

Optional:

- Second handrail.
- Second platform guardrail.
- End-face Platform guardrail
- Treads with steel •open grid covering.
- Longer platform length available at an additional charge.

Note!!

For 45° inclination models if wall distance > 200 mm and for all 60° inclination models a second handrail and platform guardrail are mandatory according to NEN ISO 14 122.

... [Read more](#)

CREAXESS Access steps with platform

Technical data

I'd like to have more information about this service

Stationaire platformtrap / Acces steps with platform / Escaliers à palier

access steps with one handrail - 45° inclination.									
Vertical height	base stand-off	number of treads	tread width 600 mm		tread width 800 mm		tread width 1000 mm		second handrail
mm	mm		order no.		order no.		order no.		order no.
1070	1518	5	401	59424	401	59444	401	59464	59305
1500	1948	7	401	59426	401	59446	401	59466	59307
1930	2378	9	401	59428	401	59448	401	59468	59309
2360	2808	11	401	59430	401	59450	401	59470	59311
2790	3238	13	401	59432	401	59452	401	59472	59313
3220	3668	15	401	59434	401	59454	401	59474	59315
3650	4098	17	401	59436	401	59456	401	59476	53917
order no. End-face-platform guardrail				42359882		42359884		42359886	
order no. guardrail platform length 600 mm.			42359844						

CREAXESS Access steps with platform

access steps with one handrail - 60° inclination.									
Vertical height	base stand-off	number of treads	tread width 600 mm		tread width 800 mm		tread width 1000 mm		second handrail
mm			order no.		order no.		order no.		
1250	1241	5	401	59364	401	59384	401	59404	59285
1750	1529	7	401	59366	401	59386	401	59406	59287
2250	1818	9	401	59368	401	59388	401	59408	59289
2750	2107	11	401	59370	401	59390	401	59410	59291
3250	2395	13	401	59372	401	59392	401	59412	59293
3750	2684	15	401	59374	401	59394	401	593414	59295

order no. End-face-platform guardrail				42359882		42359884		42359886	
---------------------------------------	--	--	--	----------	--	----------	--	----------	--

order no. guardrail platform length 600 mm.

42359844