

## Double Swivel Shackle Codipro DSS UP

---

### Product information



The universal swivel shackle DSS is a double swivel ring. It is specially designed for simultaneously lifting and rotating heavy loads. Its double swivel action ensures perfect alignment with the sling.

#### Features:

- Swiveling under load
- Usable for any kind of lifting operation
- The tightening torque is stamped on all lifting rings in the GRADUP range ... [Read more](#)

---

**Material:** High tensile steel

**Marking:** According to standard, CE-marked

**Temperature range:** -20°C up to +200°C

**Standard:** EN 1677-1


*except grade/WLL*

**Note:** On request the product can be certified for lashing.

**Safety factor:** 5:1

## Double Swivel Shackle Codipro DSS UP

### Blueprint



### Technical data

| Part code          | WLL ton | Thread      | Torque Nm | A mm | B mm | C mm | D mm | E mm | F mm | G mm | L1 mm | S mm | Weight kg |
|--------------------|---------|-------------|-----------|------|------|------|------|------|------|------|-------|------|-----------|
| 11.42DSS M 24 UP   | 4.5     | M 24 (x3)   | 160       | 61   | 31   | 70   | 98   | 73   | 149  | 33   | 36    | 19   | 5.4       |
| 11.42DSS M 30 UP   | 7.7     | M 30 (x3.5) | 250       | 61   | 31   | 70   | 98   | 73   | 149  | 33   | 45    | 19   | 5.5       |
| 11.42DSS M 33 UP   | 8.5     | M 33 (x3.5) | 250       | 61   | 31   | 70   | 98   | 73   | 149  | 33   | 50    | 19   | 5.5       |
| 11.42DSS M 36 UP   | 11      | M 36 (x4)   | 320       | 61   | 31   | 70   | 98   | 73   | 149  | 33   | 54    | 19   | 5.5       |
| 11.42DSS M 36X3 UP | 11      | M 36 (x3)   | 320       | 61   | 31   | 70   | 98   | 73   | 149  | 33   | 54    | 19   | 5.5       |
| 11.42DSS M 39 UP   | 12      | M 39 (x4)   | 320       | 61   | 31   | 70   | 98   | 73   | 149  | 33   | 58    | 19   | 5.7       |
| 11.42DSS M 42 UP   | 13      | M 42 (x4,5) | 400       | 61   | 31   | 70   | 98   | 73   | 149  | 33   | 63    | 19   | 5.8       |
| 11.42DSS M 42X3 UP | 13      | M 42 (x3)   | 400       | 61   | 31   | 70   | 98   | 73   | 149  | 33   | 63    | 19   | 5.8       |
| 11.42DSS M 45 UP   | 14.5    | M 45 (x4,5) | 400       | 61   | 31   | 70   | 98   | 73   | 149  | 33   | 63    | 19   | 5.9       |
| 11.42DSS M 48 UP   | 17      | M 48 (x5)   | 600       | 79   | 38   | 90   | 123  | 91   | 182  | 45   | 68    | 19   | 11        |
| 11.42DSS M 48X3 UP | 17      | M 48 (x3)   | 600       | 79   | 38   | 90   | 123  | 91   | 182  | 45   | 68    | 19   | 11        |
| 11.42DSS M 48X4 UP | 17      | M 48 (x4)   | 600       | 79   | 38   | 90   | 123  | 91   | 182  | 45   | 68    | 19   | 11        |
| 11.42DSS M 52 UP   | 19      | M 52 (x5)   | 600       | 79   | 38   | 90   | 123  | 91   | 182  | 45   | 68    | 19   | 12.2      |
| 11.42DSS M 56 UP   | 22      | M 56 (x5,5) | 600       | 79   | 38   | 90   | 123  | 91   | 182  | 45   | 78    | 19   | 11.3      |
| 11.42DSS M 56X4 UP | 22      | M 56 (x4)   | 600       | 79   | 38   | 90   | 123  | 91   | 182  | 45   | 78    | 19   | 11.4      |
| 11.42DSS M 72 UP   | 22      | M 72 (x6)   | 600       | 79   | 38   | 95   | 123  | 91   | 182  | 45   | 90    | 19   | 14        |
| 11.42DSS M 72X4 UP | 22      | M 72 (x4)   | 600       | 79   | 38   | 95   | 123  | 91   | 182  | 45   | 90    | 19   | 14        |
| 11.42DSS M 64 UP   | 25      | M 64 (x6)   | 600       | 79   | 38   | 95   | 123  | 91   | 182  | 45   | 90    | 19   | 12.2      |
| 11.42DSS M 64X4 UP | 25      | M 64 (x4)   | 600       | 79   | 38   | 95   | 123  | 91   | 182  | 45   | 90    | 19   | 12.2      |
| 11.42DSS M 80 UP   | 25      | M 80 (x6)   | 600       | 79   | 38   | 100  | 123  | 91   | 182  | 45   | 90    | 19   | 15        |
| 11.42DSS M 90 UP   | 25      | M 90 (x6)   | 600       | 79   | 38   | 100  | 123  | 91   | 182  | 45   | 90    | 19   | 15.5      |
| 11.42DSS M 100 UP  | 25      | M 100 (x6)  | 600       | 79   | 38   | 110  | 123  | 91   | 182  | 45   | 90    | 19   | 16.5      |

## Double Swivel Shackle Codipro DSS UP

---