

## D Shackle with Safety Pin SS

### Product information

Shackle manufactured from stainless steel EN10088 1.4404 (Marine Grade 316L). Excellent for lifting applications where a high level of corrosion resistance is required.

- Thick lugs on the shackle pins ensure that the product is both durable and dependable
- Special design of bolt ensures the nut is positioned correctly allowing sufficient room for the cotter pin
- Every shackle is proof load tested to 2 x WLL and certified at our manufacturing facility in the North East of England
- All shackles are manufactured in accordance with the Machine Directive 2006/42/EC
- Inspection certificate BS EN 10204 3.1 available on request
- High quality finish and excellent polish
- Manufactured using the latest technology in electrical upset forging

**Material:** Stainless steel 316L

**Marking:** CE-marked

**Safety factor:** 6:1



<b>Part code</b>	<b>WLL ton</b>	<b>Bolt mm</b>	<b>B mm</b>	<b>J mm</b>	<b>L mm</b>	<b>Weight kg</b>
-	0.35	M6	6	13	25	0.048
11.39ED8M8	0.5	M8	8	16	32	0.075
-	0.8	M10	9.5	19	38	0.136
11.39ED11M12	1	M12	11	22	44	0.212
-	1.25	M12	12.7	26	52	0.331
11.39ED14M16	1.8	M16	14.3	29	58	0.585
-	2.8	M20	16	32	64	0.76
-	3.3	M22	19	38	76	1.18
11.39ED22M24	4.5	M24	22	44	88	1.75
-	5	M27	25.4	50	100	2.6
-	7.5	M33	28.6	57	114	3.1
-	10	M36	31.8	64	128	4.35
-	12	M39	34.9	70	140	5.3

# Blueprint

