

Column Mounted Jib Crane BOSS B

Product information



The column-mounted jib arm crane Boss B has been designed to perform extraordinary jobs.

You can use the crane with its infinite slewing range under the toughest and most difficult conditions where capacities of up to 32 t are required: In warehouses, power plants, steel works, foundries but also on large-volume excavators and dredgers.

With its standard electrical slewing gear by ball bearing slewing ring it provides for comfortable and smooth slewing and enhanced ease of operation. The column-mounted crane B perfectly meets your requirements for indoor and outdoor use since column height and jib arm length can be adjusted individually.

Advantages:

- Infinite slewing by 360°
- Large capacity and outreach
- Electrical slewing gear
- Several fastening option available

Options:

- For Outdoor use on request.
- Suitable for explosion protection according to ATEX on request

Contact our crane department for more information.

[... Read more](#)

Marking: According to standard, CE-marked

Standard: EN 13001

Column Mounted Jib Crane BOSS B

Technical data

Part code	WLL ton	Length m
B0400-4000	4	4
B0400-5000	4	5
B0400-6000	4	6
B0400-7000	4	7
B0400-8000	4	8
B0400-9000	4	9
B0400-10000	4	10
B0400-11000	4	11
B0400-12000	4	12
B0400-13000	4	13
B0400-14000	4	14
B0400-15000	4	15
B0400-16000	4	16
B0400-17000	4	17
B0400-18000	4	18
B0400-19000	4	19
B0400-20000	4	20
B0500-4000	5	4
B0500-5000	5	5
B0500-6000	5	6
B0500-7000	5	7
B0500-8000	5	8
B0500-9000	5	9
B0500-10000	5	10
B0500-11000	5	11
B0500-12000	5	12
B0500-13000	5	13
B0500-14000	5	14
B0500-15000	5	15
B0500-16000	5	16
B0500-17000	5	17

Column Mounted Jib Crane BOSS B

Technical data

Part code	WLL ton	Length m
B0500-18000	5	18
B0500-19000	5	19
B0500-20000	5	20
B0630-4000	6.3	4
B0630-5000	6.3	5
B0630-6000	6.3	6
B0630-7000	6.3	7
B0630-8000	6.3	8
B0630-9000	6.3	9
B0630-10000	6.3	10
B0630-11000	6.3	11
B0630-12000	6.3	12
B0630-13000	6.3	13
B0630-14000	6.3	14
B0630-15000	6.3	15
B0630-16000	6.3	16
B0630-17000	6.3	17
B0630-18000	6.3	18
B0630-19000	6.3	19
B0630-20000	6.3	20
B0800-4000	8	4
B0800-5000	8	5
B0800-6000	8	6
B0800-7000	8	7
B0800-8000	8	8
B0800-9000	8	9
B0800-10000	8	10
B0800-11000	8	11
B0800-12000	8	12
B0800-13000	8	13
B0800-14000	8	14

Column Mounted Jib Crane BOSS B

Technical data

Part code	WLL ton	Length m
B0800-15000	8	15
B0800-16000	8	16
B0800-17000	8	17
B0800-18000	8	18
B0800-19000	8	19
B0800-20000	8	20
B1000-4000	10	4
B1000-5000	10	5
B1000-6000	10	6
B1000-7000	10	7
B1000-8000	10	8
B1000-9000	10	9
B1000-10000	10	10
B1000-11000	10	11
B1000-12000	10	12
B1000-13000	10	13
B1000-14000	10	14
B1000-15000	10	15
B1000-16000	10	16
B1000-17000	10	17
B1000-18000	10	18
B1000-19000	10	19
B1000-20000	10	20
B1250-4000	12.5	4
B1250-5000	12.5	5
B1250-6000	12.5	6
B1250-7000	12.5	7
B1250-8000	12.5	8
B1250-9000	12.5	9
B1250-10000	12.5	10
B1250-11000	12.5	11

Column Mounted Jib Crane BOSS B

Technical data

Part code	WLL ton	Length m
B1250-12000	12.5	12
B1250-13000	12.5	13
B1250-14000	12.5	14
B1250-15000	12.5	15
B1600-4000	16	4
B1600-5000	16	5
B1600-6000	16	6
B1600-7000	16	7
B1600-8000	16	8
B1600-9000	16	9
B1600-10000	16	10
B1600-11000	16	11
B1600-12000	16	12
B2000-4000	20	4
B2000-5000	20	5
B2000-6000	20	6
B2000-7000	20	7
B2000-8000	20	8
B2000-9000	20	9
B2000-10000	20	10
B2500-4000	25	4
B2500-5000	25	5
B2500-6000	25	6
B2500-7000	25	7
B2500-8000	25	8
B2500-9000	25	9
B3200-4000	32	4
B3200-5000	32	5
B3200-6000	32	6
B3200-7000	32	7
B3200-8000	32	8

Column Mounted Jib Crane BOSS B

Technical data

Part code	WLL ton	Length m
B0400-4000	40	4
B0400-5000	40	5
B0400-6000	40	6