Lifting Solutions Group
Axel Johnson International

Column Mounted Jib Crane PRAKTIKUS PS

Product information



Column mounted slewing jib crane for indoor/outdoor use.

The Vetter PRAKTIKUS slewing jib crane is a cost-effective basic crane with a capacity up to 2.000 kg. The overbraced design and lightweight jib arm enable especially easy slewing of the crane.
Jib design: Overbraced.

Advantages:

- Cost-effective
- Easy slewing
- Outdoor use possible
- Broad range of fastening options

Contact our crane department for more information.

... *Read more*

Marking: According to standard, CE-mark
Standard: EN 13001

Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23

© November 2026 - All Rights Reserved

MENNENS | Lifting Solutions Group Axel Johnson International

Column Mounted Jib Crane PRAKTIKUS PS

Technical data

Part code	WLL ton	Length m
6021PS00082000	0.08	2
6021PS00082500	0.08	2.5
6021PS00083000	0.08	3
6021PS00083500	0.08	3.5
6021PS00084000	0.08	4
6021PS00084500	0.08	4.5
6021PS00085000	0.08	5
6021PS00085500	0.08	5.5
6021PS00086000	0.08	6
6021PS00122000	0.125	2
6021PS00122500	0.125	2.5
6021PS00123000	0.125	3
6021PS00123500	0.125	3.5
6021PS00124000	0.125	4
6021PS00124500	0.125	4.5
6021PS00125000	0.125	5
6021PS00125500	0.125	5.5
6021PS00126000	0.125	6
6021PS00252000	0.25	2
6021PS00252500	0.25	2.5
6021PS00253000	0.25	3
6021PS00253500	0.25	3.5
6021PS00254000	0.25	4
6021PS00254500	0.25	4.5
6021PS00255000	0.25	5
6021PS00255500	0.25	5.5
6021PS00256000	0.25	6
6021PS00256500	0.25	6.5
6021PS00257000	0.25	7
6021PS00402000	0.5	2
6021PS00402500	0.5	2.5

Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23

© November 2026 - All Rights Reserved

MENNENS | Lifting Solutions Group
Axel Johnson International

Column Mounted Jib Crane PRAKTIKUS PS

Technical data

Part code	WLL ton	Length m
6021PS00403000	0.5	3
6021PS00403500	0.5	3.5
6021PS00404000	0.5	4
6021PS00404500	0.5	4.5
6021PS00405000	0.5	5
6021PS00405500	0.5	5.5
6021PS00506000	0.5	6
6021PS00802000	0.8	2
6021PS00802500	0.8	2.5
6021PS00803000	0.8	3
6021PS00803500	0.8	3.5
6021PS00804000	0.8	4
6021PS00804500	0.8	4.5
6021PS00805000	0.8	5
6021PS00805500	0.8	5.5
6021PS00806000	0.8	6
6021PS01002000	1	2
6021PS01002500	1	2.5
6021PS01003000	1	3
6021PS01003500	1	3.5
6021PS01004000	1	4
6021PS01004500	1	4.5
6021PS01005000	1	5
6021PS01602000	1.6	2
6021PS01602500	1.6	2.5
6021PS01603000	1.6	3
6021PS01603500	1.6	3.5
6021PS02002000	2	2
6021PS02002500	2	2.5
6021PS02003000	2	3

Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23

© November 2026 - All Rights Reserved