MENNENS | Lifting Solutions Group
Axel Johnson International

Column Mounted Jib Crane PRIMUS PR

Product information



Column mounted slewing jib crane for indoor use. The PRIMUS slewing jib crane is a compact crane with infinite slewing range. It can be used in any workplace - also in small spaces and it is suitable to handle capacities up to 1.000 kg.
Jib design: Low-profile.

Features and advantages:

- Infinite slewing by 360° thanks to power supply by slip-ring assembly
- Especially easy slewing operation thanks to sophisticated ball bearing with pivot resistance regulator as standard feature
- Small stop clearance for maximum utilisation of effective outreach
- Compact design, perfectly suited for small rooms and installation on machines
- Large effective lifting height
- Column height and jib arm length can be adjusted to your conditions
- Easy to install thanks to dowelling on concrete floor (optional)

Contact our crane department for more information.

... *Read more*

Marking: According to standard, CE-mark
Finish: Standard: coating according to Corrosion category C2 (Ral 1007), nominal thickness 80 µm.
Standard: EN 13001

Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23

© November 2026 - All Rights Reserved

MENNENS | Lifting Solutions Group Axel Johnson International

Column Mounted Jib Crane PRIMUS PR

Technical data

Part code	WLL ton	Length m
6021PR00032000	0.03	2
6021PR00032500	0.03	2.5
6021PR00033000	0.03	3
6021PR00033500	0.03	3.5
6021PR00034000	0.03	4
6021PR00034500	0.03	4.5
6021PR00035000	0.03	5
6021PR00035500	0.03	5.5
6021PR00036000	0.03	6
6021PR00036500	0.03	6.5
6021PR00037000	0.03	7
6021PR00052000	0.05	2
6021PR00052500	0.05	2.5
6021PR00053000	0.05	3
6021PR00053500	0.05	3.5
6021PR00054000	0.05	4
6021PR00054500	0.05	4.5
6021PR00055000	0.05	5
6021PR00055500	0.05	5.5
6021PR00056000	0.05	6
6021PR00056500	0.05	6.5
6021PR00057000	0.05	7
6021PR00082000	0.08	2
6021PR00082500	0.08	2.5
6021PR00083000	0.08	3
6021PR00083500	0.08	3.5
6021PR00084000	0.08	4
6021PR00084500	0.08	4.5
6021PR00085000	0.08	5
6021PR00085500	0.08	5.5
6021PR00086000	0.08	6

Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23

© November 2026 - All Rights Reserved

Column Mounted Jib Crane PRIMUS PR

Technical data

Part code	WLL ton	Length m
6021PR00086500	0.08	6.5
6021PR00087000	0.08	7
6021PR00122000	0.125	2
6021PR00122500	0.125	2.5
6021PR00123000	0.125	3
6021PR00123500	0.125	3.5
6021PR00124000	0.125	4
6021PR00124500	0.125	4.5
6021PR00125000	0.125	5
6021PR00125500	0.125	5.5
6021PR00126000	0.125	6
6021PR00126500	0.125	6.5
6021PR00127000	0.125	7
6021PR00202000	0.2	2
6021PR00202500	0.2	2.5
6021PR00203000	0.2	3
6021PR00203500	0.2	3.5
6021PR00204000	0.2	4
6021PR00204500	0.2	4.5
6021PR00205000	0.2	5
6021PR00205500	0.2	5.5
6021PR00206000	0.2	6
6021PR00206500	0.2	6.5
6021PR00207000	0.2	7
6021PR00252000	0.25	2
6021PR00252500	0.25	2.5
6021PR00253000	0.25	3
6021PR00253500	0.25	3.5
6021PR00254000	0.25	4
6021PR00254500	0.25	4.5
6021PR00255000	0.25	5

Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23

© November 2026 - All Rights Reserved

MENNENS | Lifting Solutions Group
Axel Johnson International

Column Mounted Jib Crane PRIMUS PR

Technical data

Part code	WLL ton	Length m
6021PR00255500	0.25	5.5
6021PR00256000	0.25	6
6021PR00256500	0.25	6.5
6021PR00257000	0.25	7
6021PR00402000	0.4	2
6021PR00402500	0.4	2.5
6021PR00403000	0.4	3
6021PR00403500	0.4	3.5
6021PR00404000	0.4	4
6021PR00404500	0.4	4.5
6021PR00405000	0.4	5
6021PR00405500	0.4	5.5
6021PR00502000	0.5	2
6021PR00502500	0.5	2.5
6021PR00503000	0.5	3
6021PR00503500	0.5	3.5
6021PR00504000	0.5	4
6021PR00504500	0.5	4.5
6021PR00802000	0.8	2
6021PR00802500	0.8	2.5
6021PR00803000	0.8	3
6021PR00803500	0.8	3.5
6021PR01002000	1	2
6021PR01002500	1	2.5
6021PR01003000	1	3

Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23

© November 2026 - All Rights Reserved