MENNENS | Lifting Solutions Group
Axel Johnson International

Wall Mounted Jib Crane GESELLE GN

Product information



The wall-mounted slewing jib crane GESELLE GN is the perfect help from the air.

It is the useful and efficient choice for workplaces where the floor needs to be free from obstacles and a column-mounted crane does not fit in for lack of space. It reduces utilisation of overhead cranes, accelerates work flow, and reduces costly downtime of staff and machines. This helpful crane can be used for feeding of machines, repair works, and in individual workplaces where capacities of up to 10,000 kg are required.

Due to its compact design, the crane features a maximum lifting height and is perfectly suitable for small and narrow operating rooms. With its optional electrical slewing gear, this slewing crane provides increased ease of use when operated in the higher capacity / outreach range. The wall-mounted slewing crane GN perfectly meets your requirements for indoor and outdoor use since its jib arm length can be adjusted individually.

Jib design: Low-profile.

Advantages:

- Compact design
- Large effective lifting height
- Electrical slewing gear for comfortable/smooth slewing
- Outdoor use is possible
- Broad range of fastening options
- Suitable for explosion protection according to ATEX (option)

Contact our crane department for more information.

... *Read more*

Marking: According to standard, CE-mark
Finish: Standard: coating according to Corrosion category C2 (Ral 1007), nominal thickness 80 µm.
Standard: EN 13001

Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23

© November 2026 - All Rights Reserved

MENNENS | Lifting Solutions Group
Axel Johnson International

Wall Mounted Jib Crane GESELLE GN

Technical data

Part code	WLL ton	Length m
6025GN00126000	0.125	6
6025GN00126500	0.125	6.5
6025GN00127000	0.125	7
6025GN00127500	0.125	7.5
6025GN00128000	0.125	8
6025GN00128500	0.125	8.5
6025GN00129000	0.125	9
6025GN00129500	0.125	9.5
6025GN001210000	0.125	10
6025GN001210500	0.125	10.5
6025GN00122000	0.125	2
6025GN001211000	0.125	11
6025GN001211500	0.125	11.5
6025GN001212000	0.125	12
6025GN00122500	0.125	2.5
6025GN00252000	0.25	2
6025GN00252500	0.25	2.5
6025GN00253000	0.25	3
6025GN00253500	0.25	3.5
6025GN00254000	0.25	4
6025GN00254500	0.25	4.5
6025GN00255000	0.25	5
6025GN00255500	0.25	5.5
6025GN00256000	0.25	6
6025GN00256500	0.25	6.5
6025GN01609000	1.6	9
6025GN01609500	1.6	9.5
6025GN016010000	1.6	10
6025GN016010500	1.6	10.5
6025GN016011000	1.6	11
6025GN016011500	1.6	11.5

Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23
© November 2026 - All Rights Reserved

MENNENS | Lifting Solutions Group Axel Johnson International

Wall Mounted Jib Crane GESELLE GN

Technical data

Part code	WLL ton	Length m
6025GN016012000	1.6	12
6025GN02002000	2	2
6025GN02002500	2	2.5
6025GN02003000	2	3
6025GN02003500	2	3.5
6025GN02004000	2	4
6025GN02004500	2	4.5
6025GN02005000	2	5
6025GN02005500	2	5.5
6025GN02006000	2	6
6025GN02006500	2	6.5
6025GN02007000	2	7
6025GN02007500	2	7.5
6025GN02008000	2	8
6025GN02008500	2	8.5
6025GN02009000	2	9
6025GN02009500	2	9.5
6025GN020010000	2	10
6025GN020010500	2	10.5
6025GN020011000	2	11
6025GN020011500	2	11.5
6025GN020012000	2	12
6025GN02502000	2.5	2
6025GN02502500	2.5	2.5
6025GN02503000	2.5	3
6025GN02503500	2.5	3.5
6025GN02504000	2.5	4
6025GN02504500	2.5	4.5
6025GN02505000	2.5	5
6025GN02505500	2.5	5.5
6025GN02506000	2.5	6

Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23

© November 2026 - All Rights Reserved

MENNENS | Lifting Solutions Group
Axel Johnson International

Wall Mounted Jib Crane GESELLE GN

Technical data

Part code	WLL ton	Length m
6025GN02506500	2.5	6.5
6025GN02507000	2.5	7
6025GN02507500	2.5	7.5
6025GN02508000	2.5	8
6025GN02508500	2.5	8.5
6025GN02509000	2.5	9
6025GN02509500	2.5	9.5
6025GN025010000	2.5	10
6025GN025010500	2.5	10.5
6025GN025011000	2.5	11
6025GN03202000	3.2	2
6025GN03202500	3.2	2.5
6025GN03203000	3.2	3
6025GN03203500	3.2	3.5
6025GN03204000	3.2	4
6025GN03204500	3.2	4.5
6025GN03205000	3.2	5
6025GN03205500	3.2	5.5
6025GN03206000	3.2	6
6025GN03206500	3.2	6.5
6025GN03207000	3.2	7
6025GN03207500	3.2	7.5
6025GN03208000	3.2	8
6025GN03208500	3.2	8.5
6025GN03209000	3.2	9
6025GN03209500	3.2	9.5
6025GN04002000	4	2
6025GN04002500	4	2.5
6025GN04003000	4	3
6025GN04003500	4	3.5
6025GN04004000	4	4

Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23

© November 2026 - All Rights Reserved

MENNENS | Lifting Solutions Group
Axel Johnson International

Wall Mounted Jib Crane GESELLE GN

Technical data

Part code	WLL ton	Length m
6025GN04004500	4	4.5
6025GN04005000	4	5
6025GN04005500	4	5.5
6025GN04006000	4	6
6025GN04006500	4	6.5
6025GN04007000	4	7
6025GN04007500	4	7.5
6025GN04008000	4	8
6025GN04008500	4	8.5
6025GN04009500	4	9.5
6025GN040010000	4	10
6025GN040010500	4	10.5
6025GN040011000	4	11
6025GN05002000	5	2
6025GN05002500	5	2.5
6025GN05003000	5	3
6025GN05003500	5	3.5
6025GN05004000	5	4
6025GN05004500	5	4.5
6025GN05005000	5	5
6025GN05005500	5	5.5
6025GN05006000	5	6
6025GN05006500	5	6.5
6025GN05007000	5	7
6025GN05007500	5	7.5
6025GN06302000	6.3	2
6025GN06302500	6.3	2.5
6025GN06303000	6.3	3
6025GN06303500	6.3	3.5
6025GN06304000	6.3	4
6025GN06304500	6.3	4.5

Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23

© November 2026 - All Rights Reserved

MENNENS | Lifting Solutions Group
Axel Johnson International

Wall Mounted Jib Crane GESELLE GN

Technical data

Part code	WLL ton	Length m
6025GN06305000	6.3	5
6025GN06305500	6.3	5.5
6025GN06306000	6.3	6
6025GN06306500	6.3	6.5
6025GN08002000	8	2
6025GN08002500	8	2.5
6025GN08003000	8	3
6025GN08003500	8	3.5
6025GN08004000	8	4
6025GN08004500	8	4.5
6025GN10002000	10	2
6025GN10002500	10	2.5
6025GN10003000	10	3
6025GN10003500	10	3.5
6025GN10004000	10	4

Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23

© November 2026 - All Rights Reserved