
MENNENS | Lifting Solutions Group Axel Johnson International

Wall Mounted Jib Crane PRAKTIKUS PW

Product information



The wall-mounted slewing jib crane PW is our cost-effective basic slewing crane!

You can use it for simple operational tasks requiring a capacity of up to 2,000 kg. Its overbraced design and therefore lightweight jib arm enable especially easy slewing of the crane. The wall-mounted slewing crane PW perfectly meets your requirements for indoor and outdoor use since its jib arm length can be adjusted individually.

Jib design: Overbraced.

Advantages:

- Cost-effective
- Easy slewing
- Broad range of options and accessoiries available.

Options and accessoiries:

- Suitable for outdoor use
- Various mounting kits for concrete walls or steel structures.
- Trolley: manual or electric
- Hoist: manual or electric
- Mechanical slewing limitation
- Locking device to lock the crane arm in various positions.
- Various power supply options
- On-site installation
- Other finishes, RAL color and/or corrosion category or hot-dip galvanized (recommended for outdoor use).

... *Read more*

Marking: According to standard, CE-mark
Finish: Standard: coating according to Corrosion category C2 (Ral 1007), nominal thickness 80 µm.
Standard: EN 13001

Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23

© November 2026 - All Rights Reserved

MENNENS | Lifting Solutions Group Axel Johnson International

Wall Mounted Jib Crane PRAKTIKUS PW

Technical data

Part code	WLL ton	Length m
6021PW00086000	0.08	6
6021PW00082000	0.08	2
6021PW00082500	0.08	2.5
6021PW00083000	0.08	3
6021PW00083500	0.08	3.5
6021PW00084000	0.08	4
6021PW00084500	0.08	4.5
6021PW00085000	0.08	5
6021PW00085500	0.08	5.5
6021PW00122000	0.125	2
6021PW00122500	0.125	2.5
6021PW00123000	0.125	3
6021PW00123500	0.125	3.5
6021PW00124000	0.125	4
6021PW00124500	0.125	4.5
6021PW00125000	0.125	5
6021PW00125500	0.125	5.5
6021PW00126000	0.125	6
6021PW00252000	0.25	2
6021PW00252500	0.25	2.5
6021PW00253000	0.25	3
6021PW00253500	0.25	3.5
6021PW00254000	0.25	4
6021PW00254500	0.25	4.5
6021PW00255000	0.25	5
6021PW00255500	0.25	5.5
6021PW00256000	0.25	6
6021PW00256500	0.25	6.5
6021PW00257000	0.25	7
6021PW00402000	0.5	2
6021PW00402500	0.5	2.5

Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23

© November 2026 - All Rights Reserved

MENNENS | Lifting Solutions Group
Axel Johnson International

Wall Mounted Jib Crane PRAKTIKUS PW

Technical data

Part code	WLL ton	Length m
6021PW00403000	0.5	3
6021PW00403500	0.5	3.5
6021PW00404000	0.5	4
6021PW00404500	0.5	4.5
6021PW00405000	0.5	5
6021PW00405500	0.5	5.5
6021PW00506000	0.5	6
6021PW00802000	0.8	2
6021PW00802500	0.8	2.5
6021PW00803000	0.8	3
6021PW00803500	0.8	3.5
6021PW00804000	0.8	4
6021PW00804500	0.8	4.5
6021PW00805000	0.8	5
6021PW00805500	0.8	5.5
6021PW00806000	0.8	6
6021PW01002000	1	2
6021PW01002500	1	2.5
6021PW01003000	1	3
6021PW01003500	1	3.5
6021PW01004000	1	4
6021PW01004500	1	4.5
6021PW01005000	1	5
6021PW01602000	1.6	2
6021PW01602500	1.6	2.5
6021PW01603000	1.6	3
6021PW01603500	1.6	3.5
6021PW02002000	2	2
6021PW02002500	2	2.5
6021PW02003000	2	3

Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23

© November 2026 - All Rights Reserved