

Lifting Beam Type LF

Product information



CERTEX

Lifting beam with low headroom to be used where the lifting height is limited. No adjusting possibilities and designed for direct attachment with the crane hook in the central lifting eye. The lifting beam is designed with one attachment point in each end. Other lengths and working loads can be manufactured upon request.

Design: Lightweight welded beam construction providing good torsional stiffness.

Proof load: Usually 1,5 x WLL.

... [Read more](#)

Material: Beam and plate of high-strength structural steel.


Marking: Working load limit (WLL), CE marking, manufacturer, serial number, year of manufacturing, etc.

Finish: Yellow painted. Other treatments available on request.

Note: Top sling, separate slings and other accessories to be ordered separately.

Lifting Beam Type LF

Blueprint



Technical data

Part code	Code	WLL ton	B mm	H, mm	L mm	Weight kg
13.3561-0050650	LF 0,5/0,65	0.5	90	227	650	10
13.3561-0050800	LF 0,5/0,8	0.5	90	227	800	10
13.3561-0051000	LF 0,5/1	0.5	90	227	1,000	12
13.3561-0051200	LF 0,5/1,2	0.5	90	227	1,200	15
13.3561-0051500	LF-0,5/1,5	0.5	90	227	1,500	16
13.3561-0052000	LF-0,5/2	0.5	90	227	2,000	23
13.3561-0052500	LF-0,5/2,5	0.5	90	227	2,500	29
13.3561-0053000	LF-0,5/3	0.5	90	227	3,000	31
13.3561-0053500	LF-0,5/3,5	0.5	90	227	3,500	39
13.3561-0054000	LF-0,5/4	0.5	107	249	4,000	54
13.3561-0055000	LF-0,5/5	0.5	107	249	5,000	67
13.3561-0056000	LF-0,5/6	0.5	107	249	6,000	97
13.3561-0101500	LF-1/1,5	1	90	227	1,500	18
13.3561-0102000	LF-1/2	1	90	227	2,000	24
13.3561-0102500	LF-1/2,5	1	107	249	2,500	35
13.3561-0103000	LF-1/3	1	107	249	3,000	42
13.3561-0103500	LF-1/3,5	1	107	249	3,500	48
13.3561-0104000	LF-1/4	1	124	249	4,000	91
13.3561-0105000	LF-1/5	1	124	249	5,000	112
13.3561-0106000	LF-1/6	1	141	289	6,000	141
13.3561-0201500	LF-2/1,5	2	107	249	1,500	27
13.3561-0202000	LF-2/2	2	124	249	2,000	47

Lifting Beam Type LF

Technical data

Part code	Code	WLL ton	B mm	H, mm	L mm	Weight kg
13.3561-0202500	LF-2/2,5	2	124	249	2,500	58
13.3561-0203000	LF-2/3	2	141	289	3,000	72
13.3561-0203500	LF-2/3,5	2	100	289	3,500	83
13.3561-0204000	LF-2/4	2	100	353	4,000	95
13.3561-0205000	LF-2/5	2	100	358	5,000	144
13.3561-0206000	LF-2/6	2	100	358	6,000	212
13.3561-0302000	LF-3/2	3	100	289	2,000	50
13.3561-0303000	LF-3/3	3	100	358	3,000	95
13.3561-0304000	LF-3/4	3	100	358	4,000	143
13.3561-0305000	LF-3/5	3	120	371	5,000	204
13.3561-0306000	LF-3/6	3	120	371	6,000	297
13.3561-0502000	LF-5/2	5	100	365	2,000	64
13.3561-0503000	LF-5/3	5	120	381	3,000	125
13.3561-0504000	LF-5/4	5	120	381	4,000	200
13.3561-0505000	LF-5/5	5	200	467	5,000	252
13.3561-0506000	LF-5/6	5	200	467	6,000	300
13.3561-0802000	LF-8/2	8	120	408	2,000	90
13.3561-0803000	LF-8/3	8	200	497	3,000	156
13.3561-0804000	LF-8/4	8	200	497	4,000	212
13.3561-0805000	LF-8/5	8	200	497	5,000	319
13.3561-0806000	LF-8/6	8	200	497	6,000	460
13.3561-1002000	LF-10/2	10	120	410	2,000	108
13.3561-1003000	LF-10/3	10	200	505	3,000	171
13.3561-1004000	LF-10/4	10	200	505	4,000	266
13.3561-1005000	LF-10/5	10	200	605	5,000	393