


## End feed boxes Click Ductor

### Product information



*EB40 (opened)*

#### General:

End feed boxes are used for the connection of the feeder cable to the extreme end of the Click-Ductor system (see picture). All feed boxes are fitted with metric glands. It is possible to use extra glands and/or several diameter ranges from type EB40. End feed clamps are required for connection of copper conductors 125A or 160A (see details below).

#### End feed boxes:

##### Type EBS32

Compact end feed box with cable gland M32, suitable for cables Ø10-Ø21 mm. Connecting screws M6 included.

##### Type EB40

End feed box for with cable gland M40, suitable for cables Ø16-Ø28 mm. The pushthrough holes offer easy mounting of various cable glands. Connecting screws M6 included.

**Type EB63** As end feed box EB40, with cable gland M63, suitable for cables Ø30-Ø44,5 mm.

#### End feed clamps:

##### Type RC-EC80

Required for connecting copper conductors Cu50A or Cu80 to the end feed box. To be ordered separately.

##### Type RC-EC110

Required for connecting copper conductors Cu110 to the end feed box. To be ordered separately.

##### Type RC-EC200

Required for connecting copper conductors 125A, 160A or 200A to the end feed box. Premounted on every Click-Ductor section; no separate ordering required.

Description	outer diameter feeder cable Ø mm	max. occupation copper conductors	I <sub>max</sub> (80% DC) non-parallel (A)	IP-class excl. AS7 sealing strip	IP-class incl.AS7 sealing strip
End feed box EBS32 1xM32	10-21	4xCU80 / 7xCU50	80	IP23	IP44
End feed box EB40 1xM40	16-28	4xCU125 / 7xCU80	125	IP23	IP44
End feed box EB63 1xM63	30-44	4xCU160 / 7xCU80	160	IP23	IP44
End feed box EB	no glands	-	-	IP23	IP44
End feed clamp RC-EC80	-	-	80	-	-
End feed clamp RC-EC110	-	-	110	-	-
End feed clamp RC-EC200	-	-	200	-	-