



Steel Wire Rope 6x36WS-FC - (Only for Finland)

Product information

sZ zS

Part code	Rope diameter mm	Tensile strength N/mm ²	Finish	Rope lay	Min. breaking force kN	Steel area mm ²	Lubrication	Weight kg/100m
101100804270792	8	1,960	Galvanized	-	41.4	-	A-2	-
101100803270792	8	1,960	Galvanized	-	41.4	-	A-2	-
101100904270792	9	1,960	Galvanized	-	52.4	-	A-2	-
101100903270792	9	1,960	Galvanized	-	52.4	-	A-2	-
101101004270792	10	1,960	Galvanized	-	64.7	-	A-2	-
101101003270792	10	1,960	Galvanized	-	64.7	-	A-2	-
101101104270792	11	1,960	Galvanized	-	78.3	-	A-2	-
101101103270792	11	1,960	Galvanized	-	78.3	-	A-2	-
101101204270792	12	1,960	Galvanized	-	93.1	-	A-2	-

101101203270792	12	1,960	Galvanized	-	93.1	-	A-2	-
101101304270792	13	1,960	Galvanized	-	109	-	A-2	-
101101303270792	13	1,960	Galvanized	-	109	-	A-2	-
101101404270792	14	1,960	Galvanized	-	127	-	A-2	-
101101403270792	14	1,960	Galvanized	-	127	-	A-2	-
101101604270792	16	1,960	Galvanized	-	166	-	A-2	-
101101603270792	16	1,960	Galvanized	-	166	-	A-2	-
101101804270792	18	1,960	Galvanized	-	210	-	A-2	-
101101803270792	18	1,960	Galvanized	-	210	-	A-2	-
101102004270792	20	1,960	Galvanized	-	259	-	A-2	-
101102003270792	20	1,960	Galvanized	-	259	-	A-2	-
101102204270792	22	1,960	Galvanized	sZ	313	-	A-2	-
101102203270792	22	1,960	Galvanized	zS	313	-	A-2	-
101102404270792	24	1,960	Galvanized	sZ	373	-	A-2	-
101102403270792	24	1,960	Galvanized	zS	373	-	A-2	-
101102604270792	26	1,960	Galvanized	sZ	437	-	A-2	-
101102603270792	26	1,960	Galvanized	zS	437	-	A-2	-
101102804270792	28	1,960	Galvanized	sZ	507	-	A-2	-
101102803270792	28	1,960	Galvanized	zS	507	-	A-2	-
101103004270792	30	1,960	Galvanized	sZ	582	-	A-2	-
101103003270792	30	1,960	Galvanized	zS	582	-	A-2	-
101103204270792	32	1,960	Galvanized	sZ	662	-	A-2	-
101103203270792	32	1,960	Galvanized	zS	662	-	A-2	-
101103404270792	34	1,960	Galvanized	sZ	838	-	A-2	-
101103403270792	34	1,960	Galvanized	zS	838	-	A-2	-
101103604270792	36	1,960	Galvanized	sZ	934	-	A-2	-

