

Wall Jib Crane Overbraced, Hollow Section 180° PMTC



Product information

The jib crane PMTC is reserved for an indoor use and built with a hollow section, PMTC allows 180° rotation. This jib crane cannot be motorized.

Intended to be equipped with a manual or electric hoist, this model has a great versatility with his trolley hoist mounted on plastic rollers.

These jib cranes are delivered with standard mounting brackets. Our mounting kits KITFIX guarantee safe anchorages for specific supports.

A full range of accessories is available.

Options

- Lockable main switch
- Standpipe
- Rotation slowing device (adaptable without welding or mechanical intervention)
- Rotation stops to weld onto the assembly
- Single- or multipositions rotation lock
- Electric or manual hoist

Part code	WLL ton	Length m	Cap. kg
6025PMTCC015	0.05	2	50
PMTCC005-2500	0.05	2.5	50
PMTCC005-3000	0.05	3	50
PMTCC005-3500	0.05	3.5	50
PMTCC005-4000	0.05	4	50

PMTC005-4500	0.05	4.5	50
PMTC005-5000	0.05	5	50
PMTC005-5500	0.05	5.5	50
PMTC005-6000	0.05	6	50
PMTC005-6500	0.05	6.5	50
PMTC005-7000	0.05	7	50
PMTC005-7500	0.05	7.5	50
PMTC005-8000	0.05	8	50
6025PMTC025	0.08	2	80
PMTC008-2500	0.08	2.5	80
6025PMTC050	0.15	2	150
PMTC015-2500	0.15	2.5	150
PMTC015-3000	0.15	3	150
PMTC015-3500	0.15	3.5	150
PMTC015-4000	0.15	4	150
PMTC015-4500	0.15	4.5	150
PMTC015-5000	0.15	5	150
PMTC015-5500	0.15	5.5	150
PMTC015-6000	0.15	6	150
PMTC015-6500	0.15	6.5	150
PMTC015-7000	0.15	7	150
PMTC015-7500	0.15	7.5	150
PMTC015-8000	0.15	8	150

6025PMT C100	0.25	2	250
PMT C025-2500	0.25	2.5	250
PMT C025-3000	0.25	3	250
PMT C025-3500	0.25	3.5	250
PMT C025-4000	0.25	4	250
PMT C025-4500	0.25	4.5	250
PMT C025-5000	0.25	5	250
PMT C025-5500	0.25	5.5	250
PMT C025-6000	0.25	6	250
PMT C025-6500	0.25	6.5	250
PMT C025-7000	0.25	7	250
PMT C025-7500	0.25	7.5	250
PMT C025-8000	0.25	8	250
6025PMT C160	0.5	2	500
PMT C050-2500	0.5	2.5	500
PMT C050-3000	0.5	3	500
PMT C050-3500	0.5	3.5	500
PMT C050-4000	0.5	4	500
PMT C050-4500	0.5	4.5	500
PMT C050-5000	0.5	5	500
PMT C050-5500	0.5	5.5	500
PMT C050-6000	0.5	6	500
PMT C050-6500	0.5	6.5	500

6025PMT C200	1	2	1,000
PMT C008-3000	-	3	80
PMT C008-3500	-	3.5	80
PMT C008-4000	-	4	80
PMT C008-4500	-	4.5	80
PMT C008-5000	-	5	80
PMT C008-5500	-	5.5	80
PMT C008-6000	-	6	80
PMT C008-6500	-	6.5	80
PMT C008-7000	-	7	80
PMT C008-7500	-	7.5	80
PMT C008-8000	-	8	80