

Pillar Jib Crane Overbraced 270° PFT

Product information



The PFT's beam is built on an I beam profile, appropriate for indoor or outdoor use. Its light weight gives it great flexibility for rotations of 270°. The structure of this jib crane is suitable for the optional installation of a hoist motor direction.

A full range of accessories is available.

Floor fixing is done with chemical anchors or anchor rods with foundation.

Options

- Installation template + anchor rods (or base plate for chemical anchors, keeping its limitations in mind).
- Hoist power supply cable.
- Lockable main switch.
- Rotation slowing device (adaptable without welding or mechanical intervention).
- Hot dip galvanizing (contact us).
- Rotation stops to weld onto the assembly, or adjustable.
- Single or multiposition's rotation lock.
- Electric or manual hoist.
- Outdoor use.

... [Read more](#)

Pillar Jib Crane Overbraced 270° PFT

Technical data

Part code	WLL ton	Length m	Cap. kg
PFT0015-2000	0.15	2	150
PFT0015-2500	0.15	2.5	150
PFT0015-3000	0.15	3	150
PFT0015-3500	0.15	3.5	150
PFT0015-4000	0.15	4	150
PFT0015-4500	0.15	4.5	150
PFT0015-5000	0.15	5	150
PFT0015-5500	0.15	5.5	150
PFT0015-6000	0.15	6	150
PFT0015-6500	0.15	6.5	150
PFT0015-7000	0.15	7	150
PFT0025-2000	0.25	2	250
PFT0025-2500	0.25	2.5	250
PFT0025-3000	0.25	3	250
PFT0025-3500	0.25	3.5	250
PFT0025-4000	0.25	4	250
PFT0025-4500	0.25	4.5	250
PFT0025-5000	0.25	5	250
PFT0025-5500	0.25	5.5	250
PFT0025-6000	0.25	6	250
PFT0025-6500	0.25	6.5	250
PFT0025-7000	0.25	7	250
PFT0050-2000	0.5	2	500
PFT0050-2500	0.5	2.5	500
PFT0050-3000	0.5	3	500
PFT0050-3500	0.5	3.5	500
PFT0050-4000	0.5	4	500
PFT0050-4500	0.5	4.5	500
PFT0050-5000	0.5	5	500
PFT0050-5500	0.5	5.5	500
PFT0050-6000	0.5	6	500

Pillar Jib Crane Overbraced 270° PFT

Technical data

Part code	WLL ton	Length m	Cap. kg
PFT0050-6500	0.5	6.5	500
PFT0050-7000	0.5	7	500
PFT0100-2000	1	2	1,000
PFT0100-2500	1	2.5	1,000
PFT0100-3000	1	3	1,000
PFT0100-3500	1	3.5	1,000
PFT0100-4000	1	4	1,000
PFT0100-4500	1	4.5	1,000
PFT0100-5000	1	5	1,000
PFT0100-5500	1	5.5	1,000
PFT0100-6000	1	6	1,000
PFT0100-6500	1	6.5	1,000
PFT0100-7000	1	7	1,000
PFT0160-2000	1.6	2	1,600
PFT0160-2500	1.6	2.5	1,600
PFT0160-3000	1.6	3	1,600
PFT0160-3500	1.6	3.5	1,600
PFT0160-4000	1.6	4	1,600
PFT0160-4500	1.6	4.5	1,600
PFT0160-5000	1.6	5	1,600
PFT0200-2000	2	2	2,000
PFT0200-2500	2	2.5	2,000
PFT0200-3000	2	3	2,000
PFT0200-3500	2	3.5	2,000
PFT0200-4000	2	4	2,000
PFT0200-4500	2	4.5	2,000
PFT0200-5000	2	5	2,000