MENNENS | Lifting Solutions Group
Axel Johnson International

Chain Sling CSX-175 Grade 10

Product information



Design: Chain sling with master link on one end and clevis load hook on the other end.
ø 26 mm chain is fitted with an eye hook. Other combinations possible on demand.

Dimensions: Ø 6–26 mm (other dimensions on demand).

... *Read more*

Material: Alloy steel.
Marking: According to standard, CE-mark
Temperature range: -40°C up to 200°C (up to 380° possible on demand)
Standard: EN 818-4
Warning: Not to be heat-treated.

Safety factor: 4:1
Grade: 10

Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23

© November 2026 - All Rights Reserved

MENNENS | Lifting Solutions Group
Axel Johnson International

Chain Sling CSX-175 Grade 10

Technical data

Part code	Chain diameter mm	WLL ton	EWL m
240500600000080	6	1.4	-
240500600050080	6	1.4	0.5
240500600100080	6	1.4	1
240500600150080	6	1.4	1.5
240500600200080	6	1.4	2
240500600300080	6	1.4	3
240500600400080	6	1.4	4
240500600500080	6	1.4	5
240500600600080	6	1.4	6
240500700000080	7	1.9	-
240500700050080	7	1.9	0.5
240500700100080	7	1.9	1
240500700150080	7	1.9	1.5
240500700200080	7	1.9	2
240500700300080	7	1.9	3
240500700400080	7	1.9	4
240500700500080	7	1.9	5
240500700600080	7	1.9	6
240500800000080	8	2.5	-
240500800000080	8	2.5	-
240500800000080	8	2.5	-
240500800000080	8	2.5	-
240500800000080	8	2.5	-
240500800000080	8	2.5	-
240500800000080	8	2.5	-
240500800000080	8	2.5	-
240500800000080	8	2.5	-
240501000000080	10	4	-
240501000000080	10	4	-
240501000000080	10	4	-
240501000000080	10	4	-

Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23

© November 2026 - All Rights Reserved

MENNENS | Lifting Solutions Group
Axel Johnson International

Chain Sling CSX-175 Grade 10

Technical data

Part code	Chain diameter mm	WLL ton	EWL m
240501000000080	10	4	-
240501000000080	10	4	-
240501000000080	10	4	-
240501000000080	10	4	-
240501000000080	10	4	-
240501300000080	13	6.7	-
240501300000080	13	6.7	-
240501300000080	13	6.7	-
240501300000080	13	6.7	-
240501300000080	13	6.7	-
240501300000080	13	6.7	-
240501300000080	13	6.7	-
240501300000080	13	6.7	-
240501300000080	13	6.7	-
240501300000080	13	6.7	-
240501600000080	16	10	-
240501600000080	16	10	-
240501600000080	16	10	-
240501600000080	16	10	-
240501600000080	16	10	-
240501600000080	16	10	-
240501600000080	16	10	-
240501600000080	16	10	-
240501600000080	16	10	-
240501600000080	16	10	-
240501900000080	19	14	-
240501900000080	19	14	-
240501900000080	19	14	-
240501900000080	19	14	-
240501900000080	19	14	-
240501900000080	19	14	-
240501900000080	19	14	-
240501900000080	19	14	-

Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23

© November 2026 - All Rights Reserved

MENNENS | Lifting Solutions Group
Axel Johnson International

Chain Sling CSX-175 Grade 10

Technical data

Part code	Chain diameter mm	WLL ton	EWL m
240501900000080	19	14	-
240502200000080	22	19	-
240502200000080	22	19	-
240502200000080	22	19	-
240502200000080	22	19	-
240502200000080	22	19	-
240502200000080	22	19	-
240502200000080	22	19	-
240502200000080	22	19	-
240502600000080	26	26.5	-
240502600000080	26	26.5	-
240502600000080	26	26.5	-
240502600000080	26	26.5	-
240502600000080	26	26.5	-
240502600000080	26	26.5	-
240502600000080	26	26.5	-
240502600000080	26	26.5	-
240502600000080	26	26.5	-

Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23

© November 2026 - All Rights Reserved