
MENNENS | Lifting Solutions Group
Axel Johnson International

Chain Sling CSX-275 Grade 10

Product information



Design: Chain sling with master link on one end and clevis load hook on the other end of each leg.
ø 26 mm chain is fitted with eye hooks. Other combinations possible on demand.

Dimensions: Ø 6–26 mm (other dimensions on demand).

... Read more

Material: Alloy steel.
Marking: According to standard, CE-mark
Temperature range: -40°C up to 200°C (up to 380° possible on demand)
Standard: EN 818-4
Warning: Not to be heat-treated.

Safety factor: 4:1
Grade: 10

Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23

© November 2026 - All Rights Reserved

MENNENS | Lifting Solutions Group
Axel Johnson International

Chain Sling CSX-275 Grade 10

Technical data

Part code	Chain diameter mm	WLL ton	EWL m
240800600000050	6	2	-
240800600050050	6	2	0.5
240800600100050	6	2	1
240800600150050	6	2	1.5
240800600200050	6	2	2
240800600300050	6	2	3
240800600400050	6	2	4
240800600500050	6	2	5
240800600600050	6	2	6
240800700000050	7	2.65	-
240800700050050	7	2.65	0.5
240800700100050	7	2.65	1
240800700150050	7	2.65	1.5
240800700200050	7	2.65	2
240800700300050	7	2.65	3
240800700400050	7	2.65	4
240800700500050	7	2.65	5
240800700600050	7	2.65	6
240800800000050	8	3.55	-
240800800050050	8	3.55	0.5
240800800100050	8	3.55	1
240800800150050	8	3.55	1.5
240800800200050	8	3.55	2
240800800300050	8	3.55	3
240800800400050	8	3.55	4
240800800500050	8	3.55	5
240800800600050	8	3.55	6
240801000000050	10	5.6	-
240801000050050	10	5.6	0.5
240801000100050	10	5.6	1
240801000150050	10	5.6	1.5

Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23

© November 2026 - All Rights Reserved

MENNENS | Lifting Solutions Group
Axel Johnson International

Chain Sling CSX-275 Grade 10

Technical data

Part code	Chain diameter mm	WLL ton	EWL m
240801000200050	10	5.6	2
240801000300050	10	5.6	3
240801000400050	10	5.6	4
240801000500050	10	5.6	5
240801000600050	10	5.6	6
240801300000050	13	9.5	-
240801300050050	13	9.5	0.5
240801300100050	13	9.5	1
240801300150050	13	9.5	1.5
240801300200050	13	9.5	2
240801300300050	13	9.5	3
240801300400050	13	9.5	4
240801300500050	13	9.5	5
240801300600050	13	9.5	6
240801600000050	16	14	-
240801600050050	16	14	0.5
240801600100050	16	14	1
240801600150050	16	14	1.5
240801600200050	16	14	2
240801600300050	16	14	3
240801600400050	16	14	4
240801600500050	16	14	5
240801600600050	16	14	6
240801900000050	19	20	-
240801900050050	19	20	0.5
240801900100050	19	20	1
240801900150050	19	20	1.5
240801900200050	19	20	2
240801900300050	19	20	3
240801900400050	19	20	4
240801900500050	19	20	5

Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23

© November 2026 - All Rights Reserved

MENNENS | Lifting Solutions Group
Axel Johnson International

Chain Sling CSX-275 Grade 10

Technical data

Part code	Chain diameter mm	WLL ton	EWL m
240801900600050	19	20	6
240802200000050	22	26.5	-
240802200050050	22	26.5	0.5
240802200100050	22	26.5	1
240802200150050	22	26.5	1.5
240802200200050	22	26.5	2
240802200300050	22	26.5	3
240802200400050	22	26.5	4
240802200500050	22	26.5	5
240802200600050	22	26.5	6
240802600000050	26	37.5	-
240802600050050	26	37.5	0.5
240802600100050	26	37.5	1
240802600150050	26	37.5	1.5
240802600200050	26	37.5	2
240802600300050	26	37.5	3
240802600400050	26	37.5	4
240802600500050	26	37.5	5
240802600600050	26	37.5	6

Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23

© November 2026 - All Rights Reserved