
MENNENS | Lifting Solutions Group
Axel Johnson International

Chain Sling CSX-276 Grade 10

Product information



Design: Chain sling with master link on one end and clevis safety hooks on the other ends.
ø 19 and 22 mm chain are fitted with eye safety hooks. Other combinations possible on demand.

Dimensions: Ø 6–22 mm (other dimensions on demand).

... *Read more*

Material: Alloy steel
Marking: According to standard, CE-mark
Temperature range: -40°C up to 200°C (up to 380° possible on demand)
Standard: EN 818-4
Warning: Not to be heat-treated

Safety factor: 4:1
Grade: 10

Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23

© November 2026 - All Rights Reserved

MENNENS | Lifting Solutions Group
Axel Johnson International

Chain Sling CSX-276 Grade 10

Technical data

Part code	Chain diameter mm	WLL ton	EWL m
2409	6	2	-
2409	6	2	0.5
2409	6	2	1
2409	6	2	1.5
2409	6	2	2
2409	6	2	3
2409	6	2	4
2409	6	2	5
2409	6	2	6
2409	7	2.65	-
2409	7	2.65	0.5
2409	7	2.65	1
2409	7	2.65	1.5
2409	7	2.65	2
2409	7	2.65	3
2409	7	2.65	4
2409	7	2.65	5
2409	7	2.65	6
2409	8	3.55	-
2409	8	3.55	0.5
2409	8	3.55	1
2409	8	3.55	1.5
2409	8	3.55	2
2409	8	3.55	3
2409	8	3.55	4
2409	8	3.55	5
2409	8	3.55	6
2409	10	5.6	-
2409	10	5.6	0.5
2409	10	5.6	1
2409	10	5.6	1.5

Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23

© November 2026 - All Rights Reserved

MENNENS | Lifting Solutions Group
Axel Johnson International

Chain Sling CSX-276 Grade 10

Technical data

Part code	Chain diameter mm	WLL ton	EWL m
2409	10	5.6	2
2409	10	5.6	3
2409	10	5.6	4
2409	10	5.6	5
2409	10	5.6	6
2409	13	9.5	-
2409	13	9.5	0.5
2409	13	9.5	1
2409	13	9.5	1.5
2409	13	9.5	2
2409	13	9.5	3
2409	13	9.5	4
2409	13	9.5	5
2409	13	9.5	6
2409	16	14	-
2409	16	14	0.5
2409	16	14	1
2409	16	14	1.5
2409	16	14	2
2409	16	14	3
2409	16	14	4
2409	16	14	5
2409	16	14	6
2409	19	20	-
2409	19	20	0.5
2409	19	20	1
2409	19	20	1.5
2409	19	20	2
2409	19	20	3
2409	19	20	4
2409	19	20	5

Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23

© November 2026 - All Rights Reserved

MENNENS | Lifting Solutions Group
Axel Johnson International

Chain Sling CSX-276 Grade 10

Technical data

Part code	Chain diameter mm	WLL ton	EWL m
2409	19	20	6
2409	22	26.5	-
2409	22	26.5	0.5
2409	22	26.5	1
2409	22	26.5	1.5
2409	22	26.5	2
2409	22	26.5	3
2409	22	26.5	4
2409	22	26.5	5
2409	22	26.5	6

Mennens Belgium
sales@mennensbelgium.be
+32 (0)3 253 23 23

© November 2026 - All Rights Reserved