

## Chain Sling CSY-476 Grade 12

### Product information

**Design:** Master link in one end and safety hook - clevis in each leg.

**Dimension:** Ø 7-13 mm.

**Material:** Alloy steel grade 12.

**Marking:** According to standard

**Standard:** EN 818-4

**Safety factor:** 4:1

**Grade:** 12



Part code	Chain diameter mm	WLL ton	EWL m
2514	7	5	-
2514	7	5	0.5
2514	7	5	1
2514	7	5	1.5
2514	7	5	2
2514	7	5	2.5
2514	7	5	3
2514	7	5	3.5
2514	7	5	4
2514	7	5	5

2514	8	6.3	-
2514	8	6.3	0.5
2514	8	6.3	1
2514	8	6.3	1.5
2514	8	6.3	2
2514	8	6.3	2.5
2514	8	6.3	3
2514	8	6.3	3.5
2514	8	6.3	4
2514	8	6.3	5
2514	10	10.6	-
2514	10	10.6	0.5
2514	10	10.6	1
2514	10	10.6	1.5
2514	10	10.6	2
2514	10	10.6	2.5
2514	10	10.6	3
2514	10	10.6	3.5
2514	10	10.6	4
2514	10	10.6	5
2514	13	17	-
2514	13	17	0.5
2514	13	17	1
2514	13	17	1.5
2514	13	17	2
2514	13	17	2.5

2514

13

17

3

2514

13

17

3.5

2514

13

17

4

2514

13

17

5