



## Master Link Assembly Pewag VW

### Product information

VW Master link assemblies are designed for pewag connex and welded system.  
For assembling 3- and 4-leg chains with connex links, and for rope slings  
For assembling of welded chain slings with BW by pewag.

**Material:** High duty grade 10.

**Marking:** According to standard, CE-marked, Pewag or PW, winner or 10, H16, batch code and type.

**Temperature range:** -40°C up to +380°C.

**Finish:** Orange powder coated.

**Standard:** EN 1677-4

**Safety factor:** 4:1

**Grade:** 10

Part code	Code	WLL ton	EWL	Use for hook DIN 15401 Nr	Consists of	e mm mm	tmm mm	w mm mm	Weight kg
11.021726	VW 5	2.3	154	2.5	AW 13 + 2 BW 10	154	110	60	0.52
11.0246797	VW 6	4.2	189	5	AW 18 + 2 BW 13	189	135	75	1.3
11.0246798	VW 7/8	7.6	230	6	AW 22 + 2 BW 16	230	160	90	2.32
11.0246799	VW 10	9.6	265	8	AW 26 + 2 BW 20	265	180	100	3.82
11.0246800	VW 13	14	315	10	AW 32 + 2 BW 22	315	200	110	6.46
11.0246801	VW 16	21.2	400	16	AW 36 + 2 BW 26	400	260	140	10.06
11.0246802	VW 19/20	34.1	500	32	AW 50 + 2 BW 32	500	350	190	22.62
11.0246803	VW 22	40	520	32	AW 50 + 2 BW 36	520	350	190	24.54
11.0271787	VW 26	56	570	32	AW 56 + 2 BW 45	570	400	200	37.6
11.0254793	VW 32	85	660	50	AW 72 + 2 BW 50	660	460	250	66.6

Blueprint

