

Vacuum Beams AERO-ADVANCE

Informations du produit



The standard vacuum lifting beams AERO-ADVANCE are designed with hot-dip galvanized steel crossbars, intelligent addition features, and a state-of-the-art control panel. The generously sized vacuum reservoir with an intelligent warning device ensures guaranteed work and operator safety, making it a reliable choice for your lifting needs.

These vacuum beams are for lifting of items with airtight surfaces like metal sheets, glass, plastics and panels.

Product variants

The AERO-ADVANCE vacuum lifting beams are available in more versions with:

- Load capacities from 150 kg up to 1.000 kg
- From 4 up to 8 suction plates
- With 2 up to 4 cross beams
- Different suction plate diameters, cross beam lengths etc.

CMU tonne(s)	Modèle	Dmm mm	Lmm mm	Bmm mm	LG mm mm	H EH/B EH mm mm	EH mm mm	Poids (kg)
0,15	AE-ADVANCE 150/4R/2000	170	2 000	1 000	545-945	92x60	730	85
0,15	AE-ADVANCE 150/6R/2000	120	2 000	1 000	545-945	92x60	730	95
0,4	AE-ADVANCE 400/4R/2000	210	2 000	1 000	545-945	92x60	750	90
0,4	AE-ADVANCE 400/6R/2000	170	2 000	1 000	545-945	92x60	730	95
0,4	AE-ADVANCE 400/8R/2000	170	2 000	1 000	545-945	92x60	730	105
0,6	AE-ADVANCE 600/4R/2000	270	2 000	1 000	545-945	92x60	750	90
0,6	AE-ADVANCE 600/6R/2000	210	2 000	1 000	545-945	92x60	750	105
0,6	AE-ADVANCE 600/8R/2000	210	2 000	1 000	545-945	92x60	750	120
0,9	AE-ADVANCE 900/6R/2000	270	2 000	1 000	545-945	92x60	750	110
0,9	AE-ADVANCE 900/8R/2000	270	2 000	1 000	545-945	92x60	770	125
1	AE-ADVANCE 1000/6R/2000	270	2 000	1 000	545-945	92x60	770	125
1	AE-ADVANCE 1000/8R/2000	270	2 000	1 000	545-945	92x60	770	140

Dimensions

